

base block, stack valve, CETOP 7 (with relief valve, all ports bottom + P + T rear)

MBS-16.-B10/B..-05./..



Motrac Hydraulik GmbH
Siemensring 87 - D-47877 Willich
fon +49-(0)2154-8162.0 - fax +49-(0)2154-8162.499
e-mail info.miw@motracindustries.com
internet www.motracindustries.com

IM-610-101-00

(subject to change)

Ordering example:

MBS - 16A - B10 / B08 - 05 - C / 30
| | | | | | |
A **B** **C** **D** **E** **F** **G**

Model code:

- | | |
|---|---|
| <p>A design
IMAV-stack system</p> <p>B size and material
16A = aluminum (F37)
16S = steel (9SMnPb28K resp. GGG-40)</p> <p>C base manifold
base block</p> <p>D port size P and T
B06 = P: BSPP 3/4" and T: BSPP 1"
B08 = P: BSPP 1" and T: BSPP 1 1/4"
B10 = P: BSPP 1 1/4" and T: BSPP 1 1/2"</p> | <p>E relief valve
05 = RV5-16.-.. (pilot operated) see data sheet no.: <u>MP-170-161-00</u></p> <p>F adjustment
C = cap
K = handknob</p> <p>G pressure range
RV5-16.-..
30 = 35.0 - 210 bar
60 = 70.0 - 415 bar</p> |
|---|---|

Technical Data:

nominal pressure: 210 bar (A)
350 bar (S)

weight: 7.5 / 15.3 kg (A/S)

included: included
2 pcs. O-Ring 12.42 x 1.78
2 pcs. O-Ring 36.09 x 3.53