



multiple valve body, CETOP 7 (from A to B and B to A)

MGZ-16.-AB/16+BA/16-08

IZ-950-550-00

(subject to change)



multiple valve body, CETOP 7 (from A to B and B to A)

MGZ-16.-AB/16+BA/16-08



Motrac Hydraulik GmbH
Siemensring 87 - D-47877 Willich
fon +49-(0)2154-8162.0 - fax +49-(0)2154-8162.499
e-mail info.miw@motracindustries.com
internet www.motracindustries.com

IZ-950-550-00

(subject to change)



Ordering example:

MGZ - 16A - AB / 16 + BA / 16 - 08
| | | | | | |
A **B** **C** **D** **E** **F** **G**

Model code:

- | | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>A design
multipurpose valve body
with mounting interface DIN 24340 form A
sandwichplate design</p> <p>B size and material
16A = aluminum (F37)
16S = steel (9SMnPb28K resp. GGG-40)</p> | <p>C function mode
AB = for one screw-in valve between A and B</p> <p>D size of cavity
size 16</p> <p>E function mode
BA = for one screw-in valve between B and A</p> <p>F size of cavity
size 16</p> <p>G height
08 = 80 mm</p> |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Technical Data:

nominal pressure:	350 bar (S) 250 bar (A)
weight:	2.8 / 7.6 kg (A/S)
cavity:	C-16-2 see datasheet no. IK-100-169-00
included:	4 pcs. O-ring 22.22 x 2.62 2 pcs. O-ring 9.19 x 2.62